

Patient Name : Demo Patient Name
Age / Sex : 34 Y / M
Referred By : DEMO HOSPITAL
Centre : HOD Head Office

Lab No : Demo Visit No
Registration On : 21-Jan-25 12:15
Patient ID : UHID.DEMO.001

Follicle Stimulating Hormone				Serum Sample
Accession No: DEMO_BARCODE		Collected On: 21-Jan-25 12:15	Received On: 21-Jan-25 14:51	Approved On: 21-Jan-25 18:59
Observation	Result	Unit	Biological Ref. Interval	Method
FSH	16.5	mIU/mL	1.55-9.74	CLIA

Biological Reference Range:
Normal Female Follicular Phase : 1.98 - 11.6 mIU/mL
Normal Female mid-cycle Phase : 5.14 - 23.4 mIU/mL
Normal Female Luteal Phase: 1.38-9.58 mIU/mL
Post Menopausal Female : 21.5-131 mIU/mL
Normal Male : 1.55 - 9.74 mIU/mL

Sample Type: Serum
Technology: VITROS MicroWell, MicroSensor and Intellicheck.
Analyzer: Fully Automated Integrated Biochemistry and ImmunoAssay Analyzer: Vitros 5600

Remarks: Please correlate results clinically.



This is a Demo Signature
and the doctor's signature should appear here

In case of any unexpected or alarming results, please contact us immediately for re-confirmation, clarifications, and rectifications, if needed.

