

Patient Name : Demo Patient Name
Age / Sex : 30 Y / F
Referred By : DEMO HOSPITAL
Centre : HOD Head Office

Lab No : Demo Visit No
Registration On : 21-Jan-25 12:23
Patient ID : UHID.DEMO.001

Lipase				Serum Sample
Accession No: DEMO_BARCODE		Collected On: 21-Jan-25 12:23	Received On: 21-Jan-25 15:03	Approved On: 21-Jan-25 16:10
Observation	Result	Unit	Biological Ref. Interval	Method
Lipase	74	U/L	23 - 300	Enzymatic With Colipase

Clinical Significance Of Lipase:
Lipases are enzymes, produced in the pancreas and also in small amounts by the salivary glands, gastric, pulmonary and intestinal mucosa. In acute pancreatitis the lipase concentrations rise to 2-50 fold the upper reference limit within 4-8 hours after the beginning of abdominal pain peaking at 24 hours and decrease within 8 to 14 days. Elevated lipase values can also be observed in chronic pancreatitis and obstruction of the pancreatic duct.

Reference Range Suggested from: VITROS® MicroSlide Assay Summary Pub. No. J23323_EN 2020-02-21

Sample Type: Serum
Technology: Dry Chemistry (VITROS Microslide, MicroSensor & Intellicheck)
Analyzer: Fully Automated Biochemistry and Immunology Analyzer : VITROS 5600

Advise: Please correlate results with clinical conditions



This is a Demo Signature
and the doctor's signature should appear here

In case of any unexpected or alarming results, please contact us immediately for re-confirmation, clarifications, and rectifications, if needed.

