

Patient Name : Demo Patient Name
Age / Sex : 35 Y / M
Referred By : DEMO HOSPITAL
Centre : HOD Head Office

Lab No : Demo Visit No
Registration On : 19-Jan-25 12:31
Patient ID : UHID.DEMO.001

Anti Ds Dna Antibody

Serum Sample

Accession No: DEMO_BARCODE **Collected On:** 19-Jan-25 12:31 **Received On:** 19-Jan-25 16:33 **Approved On:** 19-Jan-25 18:03

Observation	Result	Unit	Biological Ref. Interval	Method
Anti Ds-Dna Antibody IgG	< 9.8	IU/mL	Negative : <27 Equivocal : 27-35 Positive: ≥35	Chemiluminescent Microparticle ImmunoAssay

Biological Reference Interval (IU/mL - International Units/mL):

- Negative : <27 IU/mL
- Equivocal : 27-35 IU/mL
- Positive: ≥35 IU/mL

Clinical Notes:

- A negative result generally indicates that anti-dsDNA antibodies are not present in the patient's circulation, but does not always rule out the presence of a specific rheumatic disease.
- Equivocal samples must be retested in order to confirm the initial result. Samples which are positive at the second test should be considered positive. Samples which are negative at the second test should be considered negative. A second sample should be collected and tested no less than one week later when the result is repeatedly equivocal.
- A positive result generally indicates the presence of anti-dsDNA antibodies and may suggest the existence of systemic lupus erythematosus.

Test is performed using US-FDA Approved QUANTA Flash Anti dsDNA Assay on a fully automated BioFlash / Acustar system. The fully automated immunoassay method displays higher sensitivity and specificity than most conventional ELISA assays.

Remarks: Please correlate results with clinical conditions.



This is a Demo Signature
and the doctor's signature should appear here

In case of any unexpected or alarming results, please contact us immediately for re-confirmation, clarifications, and rectifications, if needed.

