

Patient Name : Demo Patient Name
Age / Sex : 55 Y / M
Referred By : DEMO HOSPITAL
Centre : HOD Head Office

Lab No : Demo Visit No
Registration On : 13-Jan-25 17:52
Patient ID : UHID.DEMO.001

APLA [IgG] - Anti Phospholipid Antibody

Serum Sample

Accession No: DEMO_BARCODE **Collected On:** 13-Jan-25 17:52 **Received On:** 13-Jan-25 19:09 **Approved On:** 13-Jan-25 21:11

Observation	Result	Unit	Biological Ref. Interval	Method
Beta-2 Glycoprotein I IgG	< 6.4	U/mL	<20	CLIA
Anti Cardiolipin Antibody [IgG]	41.5	GPL U/ML	<20	CLIA

Biological Reference Range for Anti Cardiolipin [IgG]:

- Negative: Less Than 20 U/mL
- Intermediate (Borderline): 20-30 U/mL
- Positive : More Than 30 U/mL

Biological Reference Range for Beta-2 Glycoprotein I [IgG]:

- Negative: Less Than 20 U/mL
- Positive : More Than 20 U/mL

Technology: Test Performed on Fully Automated - ACL Acustar - CLIA Analyzer

2006 International Consensus statement on Classification of definite APS

Clinical Criteria	Lab Criteria
Arterial/Venous thrombosis	Cardiolipin antibodies (aCL)
Fetal Loss	Beta 2 Glycoprotein 1 antibodies
Premature birth	Lupus Anticoagulant (LA)

Remarks: Please correlate results with clinical conditions.



This is a Demo Signature
and the doctor's signature should appear here

In case of any unexpected or alarming results, please contact us immediately for re-confirmation, clarifications, and rectifications, if needed.

