

Patient Name : Demo Patient Name
Age / Sex : 35 Y / F
Referred By : DEMO HOSPITAL
Centre : HOD Head Office

Lab No : Demo Visit No
Registration On : 17-Jan-25 10:23
Patient ID : UHID.DEMO.001

CMV [IgM] Cytomegalovirus

Serum Sample

Accession No: DEMO_BARCODE **Collected On:** 17-Jan-25 10:23 **Received On:** 17-Jan-25 14:45 **Approved On:** 17-Jan-25 17:05

Observation	Result	Unit	Biological Ref. Interval	Method
Cytomegalo Virus (CMV) [IgM]	<1	AU/mL	<8:Non-Reactive <8-12:Equivocal ≥12:Reactive	CLIA

Clinical Notes:

- A nonreactive result cannot always rule out acute CMV infection, because the infection maybe be in its very early stage and the patient is still unable to synthesize CMV virus specific IgM.
- An equivocal result may be indicative either of recent infection or of past infection with long-lasting CMV virus IgM. A second sample should be collected within a reasonable period of time (e.g., within one week).
- Serological data from detection of additional CMV virus markers may provide useful information for clinical interpretation of results.
- The CMV IgM results in a given samples, as determined by assays from different manufacturers, can vary due to differences in assay and reagent methods.
- Diagnosis of infectious diseases should not be established on the basis of a single test result, but should be determined in conjunction with clinical findings and other diagnostic procedures as well as in association with medical judgment.

Remarks: Please correlate results with clinical conditions and drug history.



This is a Demo Signature
and the doctor's signature should appear here

In case of any unexpected or alarming results, please contact us immediately for re-confirmation, clarifications, and rectifications, if needed.

